

SPECIFICATIONS

Seating:	4 Person
Dimensions in inches:	80" X 80" X 36.50"
Dimensions in centimeters:	203 cm x 203 cm x 93 cm
Dry Weight:	780 lbs / 354 kg
Filled Weight (Spa Volume):	2,898 lbs / 1,315 kg
Water Capacity (Spa Volume):	254 US gallons / 961 L
Electronic Controls:	GECKO K1000 Spa Keypad (7005088)
Massage Selectors:	2
Air Controls:	2
Water Management System:	(1) 50 SQ FT Skim Side Filter (1) 75 SQ FT Pressure Side Filter
LED Lighting:	(1) Self Clean Plate with 20 LED lights
Synthetic Cabinet Options:	Vintage, Linen Grey, Dark Mahogany
Acrylic Options:	Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble
Headrests:	(3) Signature Lounge Pillows (8515076)
Electrical Requirements:	North America (60 Hz): 240 Volts, 40 Amps GFCI RATED: 50 Amps Europe (50 Hz): 230 Volts, 16 Amps (or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC
Warranty:	10/5/3 Year Limited



PACKAGE OPTIONS

AMBIENCE PACKAGE INCLUDES:

- Two Premium Hydrofall Pillows
 - Includes 2 pillow waterfalls plus on/off valve control illuminated.
- Radiant Lighting
 - Perimeter LED lighting with LED badge on each panel.
- Northern Lights
 - Includes 2 LED cupholders and all other topside control valves illuminated.

SMART TUB PACKAGE INCLUDES:

- Smart Tub Module
 - WIFI module to interface with the Smart Tub App to monitor and control remotely.
- Smart Tub App
 - Includes 6 months of fees at no cost to the consumer.

OTHER OPTIONS & SPECIAL FEATURES**HYDROTHERAPY OPTIONS:**

- Hydroflex Air Therapy System (includes)
 - 600-Watt Heated Blower
 - Round Keypad Controller
 - Variable Speed Control Box
 - Mani-SD Check Valve
- Thera-Jet
- HydroTher Zone Lighting

WATER MANAGEMENT OPTIONS:

- Pure Water System (includes)
 - UV Water Sanitizer and integrated ozone injection system.

OTHER POPULAR UPGRADES & OPTIONS:

- Two Tier Universal Step
- Auxiliary Heat Pump Bypass System
- Ice Bucket Tray


COVERS:

- Custom Hydrowise Insulating Cover Colour
- Cover Remover Standard
- Cover Remover Low Profile (Undermount)
- Cover Remover Plus (Hydraulic)



MESSAGE SELECTOR/AIR CONTROL DIAGRAM

2026 SIGNATURE SELF CLEAN
579 PLATINUM (41 actual jets)



Seat Depth:

$A = 26.25''$ (66.70 cm)

B = 25.87" (65.70 cm)

C = 28.25" (71.80 cm)

D = 24.76" (62.90 cm)

E = 26.25" (66.70 cm)

**LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF
ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE $\pm 1/16''$ (0.159 CM)**

PUMPS AND JETS

Circ Pump

North America (60 Hz): 240V, 0.8/1 A, 50/60 Hz **(6505171)**

Europe (50Hz): 230V, 0.8/1 A, 50/60 Hz **(6505171)**

Pump 1

North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**

Europe (50 Hz): 2SP, 4HP, 12.7/2.2 AMPS **(6510054)**

Pump 2

North America (60 Hz): 1SP, 3HP, 10.0 AMPS **(6505161)**

Europe (50 Hz): 1SP, 3HP, 8.6 AMPS **(6510039)**

Air Control: (2) – 1" Air Control **(4525235)**

2" Water Diverter:

2 – 2" Diverter Valve Stem Assembly (4525240)

2 – 2" Diverter Wall Fitting **(4525241)**

Filters: (1) 50 SQ FT Low Pressure Filter **(4520043)**

(1) 75 SQ FT High Pressure Filter (4520044)

41 Total Therapy Jets:

2 – SHOULDER JET – 100% SHUT OFF **(6015054)**

12-2" DIRECTIONAL (6015099)

1 - 2" MULTI ROTO (6015101)

10 – 1" OZONE CLUSTER (6015103)

1 - 3" DIRECTIONAL (6020099)

3-3" MASSAGE (6020100)

1 – 3" MULTI ROTO (6020101)

3 - 4 3/8" MESSAGE (6030091)

4-4 3/8" VORTEX (6030093)

4 – 5" SINGLE ROTO (6035166)

Spa Pack and Heater:

Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)

Controller: GECKO IN.YE-6-V3 (NA/EU)