

SPECIFICATIONS

Seating:	6-7 Person
Dimensions in inches:	90" X 90" X 39"
Dimensions in centimeters:	228 cm x 228 cm x 99 cm
Dry Weight:	940 lbs / 426 kg
Filled Weight (Spa Volume):	4,248 lbs / 1,927 kg
Water Capacity (Spa Volume):	397 US gallons / 1,521 L
Electronic Controls:	GECKO K1000 Spa Keypad (7005088)
Massage Selectors:	2
Air Controls:	2
Water Management System:	(1) 50 SQ FT Skim Side Filter (1) 75 SQ FT Pressure Side Filter
LED Lighting:	(1) Self Clean Plate with 20 LED lights
Synthetic Cabinet Options:	Vintage, Linen Grey, Dark Mahogany
Acrylic Options:	Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble
Headrests:	(3) Signature Lounge Pillows (8515076)
Electrical Requirements:	North America (60 Hz): 240 Volts, 40 Amps GFCI RATED: 50 Amps Europe (50 Hz): 230 Volts, 16 Amps (or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC
Warranty:	10/5/3 Year Limited



PACKAGE OPTIONS

AMBIENCE PACKAGE INCLUDES:

- Two Premium Hydrofall Pillows
 - Includes 2 pillow waterfalls plus on/off valve control illuminated.
- Radiant Lighting
 - Perimeter LED lighting with LED badge on each panel.
- Northern Lights
 - Includes 2 LED cupholders and all other topside control valves illuminated.

SMART TUB PACKAGE INCLUDES:

- Smart Tub Module
 - WIFI module to interface with the Smart Tub App to monitor and control remotely.
- Smart Tub App
 - Includes 6 months of fees at no cost to the consumer.

OTHER OPTIONS & SPECIAL FEATURES**HYDROTHERAPY OPTIONS:**

- Hydroflex Air Therapy System (includes)
 - 600-Watt Heated Blower
 - Round Keypad Controller
 - Variable Speed Control Box
 - Mani-SD Check Valve
- Thera-Jet
- HydroTher Zone Lighting

WATER MANAGEMENT OPTIONS:

- Pure Water System (includes)
 - UV Water Sanitizer and integrated ozone injection system.

OTHER POPULAR UPGRADES & OPTIONS:



- Two Tier Universal Step
- Auxiliary Heat Pump Bypass System
- Ice Bucket Tray

COVERS:

- Custom Hydrowise Insulating Cover Colour
- Cover Remover Standard
- Cover Remover Low Profile (Undermount)
- Cover Remover Plus (Hydraulic)



MASSAGE SELECTOR/AIR CONTROL DIAGRAM



Seat Depth:

A = 26.25"	(66.70 cm)
B = 24.80"	(63.00 cm)
C = 26.56"	(67.50 cm)
D = 24.89"	(63.20 cm)
E = 24.18"	(61.40 cm)
F = 24.72"	(62.80 cm)
G = 24.16"	(61.40 cm)

LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF
ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE $\pm 1/16"$ (0.159 CM)

PUMPS AND JETS

Circ Pump

North America (60 Hz): 240V, 0.8/1A, 50/60 Hz **(6505171)**
Europe (50Hz): 230V, 0.8/1A, 50/60 Hz **(6505171)**

Pump 1

North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**
Europe (50 Hz): 2SP, 4HP, 10.0/1.0 AMPS **(6510049)**

Pump 2

North America (60 Hz): 1SP, 3HP, 10.0 AMPS **(6505161)**
Europe (50 Hz): 1SP, 3HP, 8.6 AMPS **(6510039)**

Air Control: (2) – 1" Air Control **(4525235)**

2" Water Diverter:

2 – 2" Diverter Valve Stem Assembly **(4525240)**
2 – 2" Diverter Wall Fitting **(4525241)**

Filters: (1) 50 SQ FT Low Pressure Filter **(4520043)**
(1) 75 SQ FT High Pressure Filter **(4520044)**

55 Total Therapy Jets:

4 – SHOULDER JET – 100% SHUT OFF **(6015109)**
14 – 2" DIRECTIONAL **(6015099)**
3 – 2" MULTI ROTO **(6015101)**
16 – 1" OZONE CLUSTER **(6015103)**
3 – 3" MASSAGE **(6020100)**
2 – 3" MULTI ROTO **(6020101)**
2 – 4 3/8" DOUBLE ROTO **(6030088)**
1 – 4 3/8" MASSAGE **(6030091)**
2 – 4 3/8" VORTEX **(6030093)**
2 – 5" WAVE **(6035108)**
2 – 5" VORTEX **(6035110)**
4 – 5" SINGLE ROTO **(6035166)**

Spa Pack and Heater:

Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)
Controller: GECKO IN.YE-6-V3 (NA/EU)

